

Quote Summary

Prepared For:

Town Of Yorktown P.o. Box 518 9800 W Smith St Yorktown, IN 47396 Business: 765-759-4002 Prepared By:

Nick Meeks Reynolds Farm Equipment 2220 E Mcgalliard Road Muncie, IN 47303 Phone: 765-289-1833

nmeeks@rfemail.com

Quote Id:

17995600

Created On:

15 August 2018 16 August 2018

Last Modified On: **Expiration Date:**

31 August 2018

Equipment Summary Suggested List Selling Price Extended Qty 2018 WOODS tbw180 \$ 21,868.00 \$21,868.00 X 1 \$ 21,868.00

Equipment Total

	\$ 21,868.00
Quote Summary	
Equipment Total	\$ 21,868.00
SubTotal	\$ 21,868.00
Est. Service Agreement Tax	\$ 0.00
Total	\$ 21,868.00
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 21,868.00

Salesperson : X _____

Accepted By : X _____




Selling Equipment

Quote Id: 17995600

Customer: TOWN OF YORKTOWN

2018 WOODS tbw180					
Hours:	0			Suggested List	
Stock Number:				\$ 21,868.00	
				Selling Price	
				\$ 21,868.00	
Code	Description	Qty	Unit	Extended	
tbw180	15' grooming mower	1	\$ 21,408.00	\$ 21,408.00	
	Ot	her Charges			
	Delivery	1	\$ 460.00	\$ 460.00	
	Other Charges Total			\$ 460.00	
	Suggested Price			\$ 21,868.00	
	Custo	omer Discounts			
	Customer Discounts Total		\$ 0.00	\$ 0.00	
Total Selling Pr	ice			\$ 21,868.00	



Our flexible wing finish mowers feature Woods' proven cutting deck in a three-gang configuration mounted to a heavy-duty trailer.

- Carrier bearing on the CV (constant velocity) input driveline provides support, making it easier to attach to the tractor and allowing tighter turns (not available on TBW150C)
- Superior cutting capabilities are combined with contoured wing decks to let you quickly cut large, uneven areas of turf without sacrificing cut quality
- Rounded front, tapered rear deck design allows mowing close to objects without damage
- Round skid rod glides deck bottom over roots and uneven turf — adding strength to the deck skirt
- Standard six-year gearbox limited warranty and three-year spindle warranty (not available on TBW150C)
- Floating hitch design flexes to allow the mower to follow the terrain with less stress and wear on the tractor drawbar.

 Adjustable to allow better fit on multiple tractor drawbar heights.

 Standard on the TBW144,

 TBW180 and TBW204



Transport Latching System

The transport latching system automatically engages when the decks are raised into transport position. Simply pull the release rope or engage the optional hydraulic latch release to lower the decks into the operating position with minimum effort.



Folds for Storage

With a folded transport width of only 93 inches the TBW150C can fit into a standard 8-foot garage door

Tractor PTO Range: 25 - 60 hp

Estate Model

This 12.5-foot mower provides a beautifully finished cut making short work of large lawns. Based on testimonials, the TBW150C could reduce two days of mowing into as little as four-and-a-half hours.

Model

TBW150C 12.5-foot cutting width

- Blade tip speed: 16,200 fpm
- Decks are designed with "box" construction which adds structural strength
- Three decks mounted to heavy-duty trailer for triple cut capacity; mow up to seven acres per hour at five miles per hour
- Anti-scalp rollers standard



***NOTE:** The TBW150C mower passes all applicable safety standards for thrown objects and blade contact. However, if the unit will be used in areas where the possibility of thrown objects could be hazardous to persons or property, it is strongly recommended that optional chain shielding be used for extra protection.

WOODS

Turf Batwing® Mowers

Tractor PTO Range: 30 - 80 hp

Commercial Models

Woods commercial Turf Batwing® finish mowers are designed for outstanding cut quality and built for a long, durable life.

Models

TBW144 12-foot cutting width TBW180 15-foot cutting width TBW204 17-foot cutting width

- Blade tip speeds: 18,000 fpm
- Optional mulching kit available on the TBW180 and TBW204; highway light kit and anti-scalp roller options available on all three models
- Ten large caster wheels provide even cut on rough ground

Durable Sheaves, Bushings and Spindles

Cast-iron belt sheaves with taper lock bushings and tapered roller bearings in castiron spindles offer exceptional strength and performance. Spindles carry a 3-year warranty.

Automatic Idler Corrects Belt Tension

Spring loaded idler automatically maintains the correct belt tension for significantly increased belt life.

Hydraulic Latch Release

The optional hydraulic cylinder releases the transport lock to lower the decks into mowing position.

